Electrical World

A Review of Current Progress in Electricity
and Its Practical Applications

Volume XCVIII

July to December, 1931

McGRAW-HILL PUBLISHING COMPANY, INC.
330 West 42d Street
NEW YORK CITY

General Alphabetical Index

PAGES BY ISSUES

1 to	44	July	4
45 to	88	July	11
89 to	132	July	18
133 to	176	July	25
177 to	220	Aug.	1
221 to	264	Aug.	8
265 to	308	Aug.	15
309 to	352	Aug.	22
353 to	396	Aug.	29
397 to	440	Sept.	3
441 to	484	Sept.	12
485 to	528	Sept.	19
529 to	572	Sept.	26
573 to	628	Oct.	3
629 to	672	Oct.	10
673 to	716	Oct.	17
717 to	760	Oct.	24
761 to	804	Oct.	31
805 to	848	Nov.	7
849 to	892	Nov.	14
893 to	936	Nov.	21
937 to	980	Nov.	28
981 to	1024	Dec.	5
1025 to	1068	Dec.	12
1069 to	1112	Dec.	19
1113 to	1156	Dec.	26

(Ed) Editorial. * Illustrated. (N) News.

A

Accidents and Accident Prevention:
Defective equipments cause low voltage fatalities. M. G. Lloyd..... 116
Hazard index method for comparing accident risk. L. W. Miller.....1099
Accounting:
Cost of opening and closing customers' accounts 116
Extend the usefulness of fixed capital records (Ed)..... 494
Means of possible reduction in costs. J. H. Lobban 665
Uniform accounting helps stabilize industry 997
Wisconsin board modifies national accounting plan (N) 765
Wisconsin Commission's new rules (N) 854
Advertising—Newspaper ads for power company *552
Air Conditioning:
B. & O. R.R. precools its Pullman sleepers *373
Combined heating and cooling plant..*528
Household ventilation electrically feasible. F. C. Taylor 328
Humidity controlled by space fans.... 618
Air patrol in upper New York.....*547
Airport—Electric eye for airships landing in fog *92
Air preheater uses diphenyl oxide.....*598
American Academy of Political & Social Science—Power and the public (N) 850
Utilities denounced and upheld..... 918
American Bar Assn.—Utilities Section—Governor of Maryland speaks (N).. 487
American Institute of Electrical Engineers:
Examine prevailing practices 12
Impressions of the meeting (Ed).... 9
American Society of Mechanical Engineers—Meeting discusses fuel, steam power and high pressure steam boilers (N) 984
Appliances:
Anti-utility merchandising legislation vs. industry co-operation. M. E. Sampsell 870
Central Hudson co-operative selling. T. R. Beal 1050
Daily load curve of an all electric home 26
Dealers name their own ticket (Ed).. 858
Finding the fluttering thermostat. J. W. Speaker *561
Inoperative devices reducing revenue (Ed) 449
Kansas files test for anti-merchandising law (N) 266
Massachusetts files anti-merchandising bill (N) 985
Merchandising argued in New York (N) 895
Merchandising is the business of merchants 236
Quality in domestic appliances (Ed) 814
Range — design trend aids utility service. F. R. Laws.....*1090
San Antonio Company discontinues selling (N) 355
San Antonio Company's reply to suit (N) 182
73 Kw.-hr. per domestic customer added in 52 days. C. A. Collier....*156
Texas—public utilities right to sell (N) 93
Association of Electragists International:
Convention (N) 631
Essentials of adequate house wiring. 789
Associations—Men should not be withdrawn from association committee work (Ed) 99
Awards:
Co-operation today in the electrical industry (Ed) 1034
Lamme medal bestowed on D. C. Jackson (N) 47

B

Boilers:
A.S.M.E. meeting discusses high pressure steam boilers (N) 984
Advantages of slag tap furnaces. Bailey & Hardgrove *958
Automatic boiler room control.....*1009
Electric steam boiler performances compared (Table) 472
High pressure experiments at Purdue (N) 532
1,250 lb. steam pressure at San Francisco station. R. C. Powell.....*544
Steam pressures and temperatures trend higher. D. S. Jacobus.....*410
Bridge, railroad, control scheme. R. A. Church *820
Busbars and Buses:
Aluminum busbars resist power arcs. J. D. Porter.....*104
Differential-bus protection proves its merit. H. H. Cox *30
Ring ground bus system of Boston Edison Stations *738
Switch house changes reduce service hazards *1044
Tubular copper bus simplified service vault *543
Business Conditions:
Currency depreciation abroad may help American trade. H. P. Willis..... 772

Doherty gives for depression research (N) 488
Facts force industry sales (Ed) 1121
Hold profit margins (Ed) 229
Law of supply and demand operates toward recovery. Richard Whitney 653
"Let the government do it" (Ed) 361
Plan for stabilization of industry. Gerard Swope 496
Swope thinking versus La Follette thinking (Ed) 814
Wanted—new ideas (Ed) 229

C

Cables:
Added cost raises cable rating *586
Aerial cable reduced telephone interference *1137
British cite experiments with cable under gas pressure (Ed) 1078
Cable insulation thickness can be reduced *27
Corrosion of parkway cable 837
Entrance standards deserve general adoption (Ed) 859
Four cables laid simultaneously *1101
Generator leads placed over penstocks *661
Heavy protection of cable avoided *821
Installing a 33-Kv. oil filled cable *684
Insulation thickness and joints discussed at A.I.E.E. *14
Minimum stress indicates cable strength. M. C. Holmes *71
Solid cable deserves chance to compete with oil-filled (Ed) 54
Standard telephone cable has solid pulp insulation. H. G. Walker 957
Stringing conductors on Hoover Dam line. R. H. Halpenny *153
Terminals show cost reduction *1051
Turning cable reels. H. G. Berkey 687
220-Kv. cable service feasible (N) 678
Underground construction *586
Use of buried cable for underground construction. W. R. Bullard *1054

Canada:
Commission to buy power from five companies 301
Electrical statistics 82, 565, 798, 842, 886, 974, 1061
Why domestic customers use 4,000 kw.-hr. per year in Winnipeg 364
Castings production speeded by electric furnace *293
Central stations—Monthly operations 170, 346, 566, 754, 930
Chicago interchange energy contract. P. B. Juhnke 327

Circuit Breakers:
All cubicle control in industrial power plant. M. M. Samuels *232
Arc energy liberation fixes breaker pressures. W. M. Leeds *1138
Gas control the crux in oil breakers. J. D. Hilliard *192
Oil blast extended to other breakers. Price & Paul *499
Oil blast phenomena in circuit breakers. J. D. Hilliard *56
Reclosing-breaker practice of 35 companies 334
650 volt trip free air circuit breakers. 176
Testing breaker insulation by power factor methods 374
Clamps, dead-end, of scrap material *882

Coal:
Advantages of slag-tap furnaces. Bailey & Hardgrove *958
Conveyor bridges covered with aluminum sheeting *594
Pittsburgh conference (N) 895
Code for expansion (Ed) 681
Code shows tendency to moderate restrictions (Ed) 539
Combustion indicator 980

Condensers:
Battersea Station, London (N) *530
Outdoor condenser (N) *675
Synchronous condenser installed for $10.20 per kva. 1038
Conductors — Structural-shape conductors show increased efficiencies. Papst & Bohn *418

Conduits:
Cord blown through conduits. H. G. Berkey 455
Congress faces facts (Ed) 1033
Contact, vacuum, mounting 89
Contractor, electrical (Ed) 683

Control:
All-cubicle control in industrial power plant. M. M. Samuels *232
Automatic time control for constant-current transformers. W. H. Colburn *202
Conveyors synchronized by thyratron control *619
Crane with motor generator set used as exciter for main alternating current. G. A. Caldwell *692
Electric welding speeded by thyratron control *148
How Tennessee Copper controls demand peaks. L. W. Hayward *1048
Method best for frequency control? (Ed) 273
Miniature supervisory control gives creditable performance. R. M. Stanley *22
Mobile lighting control 43
Motor control works well on network voltage. E. F. Kurtz 419
Proportioning motor control system 484
Railroad bridge control scheme. R. A. Church *820
Remote-controlled hydro station *154
Sand and gravel plant in California has centralized remote control. L. F. Leurey *1000
Sequence control in sinter plant bag-house. B. M. Davis *326
Springfield's carrier current street-lighting control succeeds. R. E. Curtis *1130

Control Devices:
Automatic charging panel improves battery service *517
Centralized control boards for Bremo station *999
Desk for control (N) 633
Frequency control mounted to minimize vibration. Reardon & Langstaff *113
Layout for control of steam station *599
"Piano" keyboard to control reversing steel-rolling mill (N) *398
Push buttons as safety and time saving devices *614
Supervisory remote control for railroad electrification (N) *136
Traffic light signals operated by five men in New York (N) *852
Conveyors—Individual drives simplify roll table operation. W. B. Snyder *650
Sand and gravel plant has centralized remote control. L. F. Leurey *1000
Synchronized by thyratron control *619

Cooking—Electric:
Fat—frying kettle pays cost quickly. *1102
Range — design trend aids utility service. F. R. Laws *1090
Range wiring costs reduced 30 per cent by new assembly. E. A. Brand *118
Ranges to follow trail broken by refrigerators (Ed) 991
73 kw.-hr. per domestic customer added in 52 days. C. A. Collier *156
Wiring without cost stimulates range sales *656
Cord, flexible—makers move to eliminate substandard (N) 896
Cortelyou, George Bruce *900

Costs:
Co-operative merchandising. L. W. W. Morrow *640
Covering up costs in municipal utility operations. Arthur Huntington 281
Distribution costs derived by survey 467
Future will demand more economics in engineering. W. S. Monroe 904
Power and process steam cost allocations 1008
Reproduction cost still determines fair value. H. E. West 509
St. Lawrence power study reveals distribution costs. S. B. Heath 289
Cotton gin operated by individual drives. W. D. Sinclair *908

Cranes:
Crane used to erect stone bus structures in substation. J. E. Busher *1086
Pole top *998
Solve problem in railroad electrification. T. J. Skillman *371
With motor generator set used as exciter for main alternating current. G. A. Caldwell *692
Customer ownership—Gains despite depression 621

Czechoslovakia:
Modern power plants. Frank Sembera. *240

D

Dairy company has complete electrical equipment. P. E. Patrick *512

Dams:
Hoover Dam power contracts left open (N) 90
Joerger Hat Creek injunction permanent (N) 678
Mountain Creek plant (N) *575

Dealers:
Anti-merchandising legislation not in dealers' interest (Ed) 319
Changing character of the electrical contractor (Ed) 683
Co-operative merchandising. L. W. W. Morrow *640
Merchandising policies—Pacific Coast Electrical Bureau 195
Name their own ticket (Ed) 858
Two fundamental reasons for trouble with dealers (Ed) 731
Design and construction trends (Ed) 581
Dielectrics—Breakdown in dielectrics (Ed) 990
Diesels. See Engines.
Diphenyl oxide used in air preheater *598

Distribution Systems:
Chicago's d.c. to give way to a.c. network 189
Designing Fifteen Mile Falls 220 kv. system for stability. H. H. Spencer. *276
Determining tie line losses. Estrada & Dryer *745
Distribution circuit also street lighting feeder *687
Distribution costs derived by survey. 467
Engineering planning department necessary part of system planning department (Ed) 407
Losses for typical transmission and metropolitan companies 1128
Modernized electrical supply layout for chemical plant. W. S. Johnston *955
Network switch failures controlled. C. W. Franklin 335
100,000 kw. distribution system as a single project. R. T. Henry *144
Phase separation at distribution voltage *649
Progress of system planning (Ed) 682
Protection and dispatching for greatest reliability. Hinson & Tice *204
South Carolina has first "no fuse" town (N) 764
Stars, orbits and stability (Ed) 859
System losses—their analysis and reduction. M. M. Koch *948
System plan alternatives visualized for executives. M. M. Samuels *778
Underground network at Atlantic City. Wm. Jordon, 3d *822
Underground planning records. C. W. Evans *372
Drumm battery successful in demonstration trip (N) 1029
Dust elimination—Flue gas washers used abroad. J. B. C. Kershaw *783
Dust-proof equipment. J. T. Waugh *208

E

Edison, Thomas Alva 717, 729, 724, 865
Electrical Assn. of New York — Acquires Westinghouse Lighting Inst. (N) 575
Exhibit transferred to association (N) 763
Electrical Merchandising Joint Committee—Meeting (N) 577
Electrical World—Brief history 4
New home *915
Electrification of brush works *1040
Electrification of cotton gin. W. D. Sinclair *908
Electrification of laundry. R. S. Elberty, Jr. *338
Electrification of steel mill *878
Electrochemical Society — Salt Lake City session (N) 443
Electromagnetization, metals hardened by rotary (Ed) 1123
Electron tube—Slowness of understanding the electron tube (Ed) 55
Empire State Building—Lighting of world's tallest building. Eugene Clute *106
Empire State Gas & Electric Assn.—Urge utility tax reform (N) 490

Employees:
A.E.C. committees work for engineers' employment (N) 940
H. L. Doherty and the A.E.C. employment plan (N) 720
Emergency relief check for Westinghouse (N) *985
I-T-E forms national plan for unemployment relief (N) 806
New industry plan for unemployment relief (E) 815
Stabilization needed for public utilities (Ed) 11
Trumbull declares for Swope stabilization plan (N) 852
Why not try the Swope plan? (Ed) 637

Energy:
Chicago interchange contract. P. B. Juhnke 327
Consumption of electrical energy indicator of industrial activity (Ed) 187
Consumption by railroad shops and trains 835
Industrial progress made despite business condition. W. H. Sammis 163
Losses for typical transmission and metropolitan companies 1128
One per cent for electricity in family income *710
Power use and cost in manufacturing —U. S. census 1929 923
Sales seven months 1931 842
System plan alternatives visualized for executives. M. M. Samuels *778
Two hundred million dollar loss (Ed) 639

Engineering:
Departments should be co-ordinated (Ed) 319
Electrical engineering draws many recruits 76
Free engineering service (Ed) 1079
"Ten weeks course" (Ed) 275
What is the matter with engineers and engineering? (Ed) 230

Engineers:
Functional assignments for engineers (Ed) 858
Industry's responsibility in engineering unemployment (Ed) 902
Make use of the technical man (Ed) 1034
Engineers income (Ed) 582
Engines—Diesel (Ed) 582
Diesels, as peak load units on utility systems 867
Equipment—Buying on an engineering basis (Ed) 538
Exports — Electrical equipment (preliminary) 481

F

Fans, free wheeling draft.....*1146
Faraday Celebration (N).....576, 360, 489
Farming. See Rural electrification.
Federal Power Commission:
Argument whether Smith is chairman (N) 762
Garsaud on power plants versus reclamation (N) 720
New River license suit (N) 224
New River and Niagara Falls (N).... 809
Questionnaire (N) 266
Reports (Ed) 989
Seek information from state commissions (N) 577
Smith upheld as chairman (N).....1030
Suggests value of extending its scope (N) 982
To investigate utilities (Ed) 317
To make own investigation (N)..... 47
Federal regulation (regional) a beneficial necessity. Marcel Garsaud 368
Federal Trade Commission:
Adds to its publicity records (N).... 5
Bond & Share suit case (N) 578
Byllesby subsidiaries (N) 896
Louisville Byllesby testimony (N).... 850
Louisville Gas & Electric Co. inquiry (N) 808
Middle West Utilities financing (N)...1027
Middle West Utilities (N).....1072
Middle West Utilities inquiry begun (N) 983
North American Light & Power (N).1115
Report in 1934 (N) 178
Standard Gas & Electric inquiry (N).. 630
Standard Gas & Electric testimony (N) 576
Standard Gas & Electric transactions (N) 676
Finance:
Balance sheet complexities condemned by bankers (Ed) 989
Bankers urge utilities to clarify issued reports 1017
Condemn calling attention to call price of bonds 477
Currency depreciation abroad may help American trade. H. P. Willis.... 772
Equities must be maintained (Ed).... 405
Expend marginal earnings for extensions and maintenance (Ed) 769
Industrial modernization — benefit to community and utility. M. O. Ningard 69
Institutional investment the acid test (Ed) 406
Let there be no repetition of the gambling orgy (Ed) 318
Liberalizing investment laws (Ed).... 581
Sinking fund not needed in expanding industry 621
This year's opportunity for financial statements (Ed) 1122
Utility bonds adapted to bank investment 797
Utility public financing comes to full stop 841
Utility securities sound investments. M. S. Sloan 549
Vermont Commission scores loan to holding company 973
Who gets the net? (Ed).....1077
Yield must be independent of current money costs. L. R. Nash..... 825
Ford Motor Co.—Substitute A.C. motors for 27,000 D.C. units *452
Frequency changers. LeClair & Krupy..*558
Frequency changers installed outdoors. F. R. Ford *1142
Frequency of 60 cycles established..... 367
Fuel—Engineers discuss fuel burning station practice *588
Furnaces, coal. See Boilers.
Furnaces—Electric:
Another advantage of furnaces (Ed).. 187
Electric carburizing saves labor of eighteen men *827
Electric heat for the metal industries. J. C. Woodson *1004
Modern electric furnaces come into their own (Ed) 583
Production of iron castings speeded by electric furnace *293

G

Gas—Co_2 as a byproduct to be sold by central station (N) 852
Flue-gas washers used abroad. J. B. C. Kershaw *783
General Electric Lighting Inst. — discontinued (N) 1026
Generating Stations:
Atkinson plant to go into service (N) 675
Brooklyn Edison station (N) 1114
Harding Street plant complete (N)... 532
Harding Street plant ready at Indianapolis (N) 938
Supplies steam to creamery and district heating *1126
Switch house changes reduce service hazards *1044
Washington, D. C., plans new station (N) 719
Generators:
Anticipatory system of protection (Ed) 538
Electric steam generator *618
First generator made commemorated by Cornell (N) 765
Generator lead tunnel at Ariel development *906
Hydrogen-cooled generators have economic merit. M. D. Ross.....*408
Prime movers, motors and generators in mines (Tables).....1080
Shift generators from delta to Y in five minutes *785
Gossler, Philip Green *812
Government ownership—Commissioners in defense of state rights 816
Ritchie takes stand against 540
Great Britain:
British grid progresses (Ed)..... 55
Diesel—electric traction for railroad.. 501
Electrical statistics.....81, 258, 477, 567, 622, 667, 754, 972
Electrification not supported by railroads (N) 94
Grid scheme enters final scheme (N).. 356
High towers on the Thames (N)..*1029
Interest in use of direct current revives (N) 225
London power station extensions (N). 986
Rural electrification progress (N).. 135
Greenhouse electrically heated. G. N. Hawley *322
Ground conditions determine transformer outage. R. P. Hart *456

H

Hay dryer (N) *533, *744
Heat treatment — Electric heat for the metal industries. J. C. Woodson...*1004
Heaters:
Continuous water heating at $5.10 per month. G. S. Williams 75
Controlled water heating indorsed by N.E.L.A. (N) 178, *910
Deeper foundations laid for water heating (Ed) 903
Immersion heater for asphalt dipping tank *705
Organizing for water-heating sales (Ed) 98
73 kw.-hr. per domestic customer added in 52 days. C. A. Collier...*156
Space heater protects apparatus automatically *687
Water heaters rented to householders.*427
Heating—Electric:
Cuts processing in brush works.....*1040
Electric air heater dries varnish rapidly 378
Greenhouse electrically heated. G. N. Hawley *322
New way of charging for off-peak water heating (N) 356
Railroad saves six times electric heat cost. W. S. Scott *423
Holding companies—Deprecates value of holding company regulation. H. C. Attwill 73
Hostile press imitates utility holding company. W. H. Hodge 111
Hughes, David Edward (Ed) 10
Hydro-Electric Plants and Developments:
Ariel development has generator lead tunnel *906
Ariel plant on Lewis River (N)....*1030
Bagnell plant in operation (N)..... 719
Bagnell development *768
Beauharnois conference (N) 531
Beauharnois controversy still active (N) 312
Beauharnois disagreement (N) 48
Beauharnois inquiry condemns individuals (N) 179
Beauharnois plans changed (N)..... 5
Beauharnois power development described *860
Beauharnois power investigation (N).*134
Beauharnois will be backed by dominion (N) 222
Chats Falls, Ottawa (N) 401
Cobble Mt. generating station *536
Deer escapes (N) *764
Dnieper River project (N) *897
Fifteen-mile Falls system designed for stability. H. H. Spencer.....*276
Fish ladder for Columbia River....*775
Guadalupe and Rio Grande Rivers Plants (N) 854
Kanawa River project (N) 632
Latavia to build station on Daugava River 242
Long Sault & Beauharnois compared by Roosevelt (N) 267
Lynchburg plant (N) 941
Oklahoma plans for project on Grand River (N) 180
Ontario hydro speakers make vigorous defense (N) 47
Ontario system at Lesside (N).....*1073
Ottawa River rights got to Garineau Power Co. (N) 939
Penstocks protected where soil erodes rapidly *595
Remote controlled hydro station....*154
Rock Island plant built of concrete without windows *652
Rock Island project changes (N)..... 445
Safe Harbor plant adopts Kaplan turbines *992
Safe Harbor starts (N) 1026
Saskatchewan project (N) 723
Shift generators from delta to Y in five minutes *785
Susquehanna River project (N).....*763
Tree-ring studies aid hydro planning. Lyman Griswold 252
West Virginia law invalid (N) 310
West Virginia turns from hydro to steam (N) 807
White River plans (N) 313
Hydrogen gas to cool generators. M. D. Ross *408

I

Illuminating Engineering Society — Architectural lighting discussed (N)... 675
Silver anniversary convention (Ed).. 730
Illumination:
Amsterdam white way (N) *91
Austrian parliament building..... *5
Ballroom in Oakland, Cal. (N)..... *402
Buckingham Palace illumination (N).*488
Buffalo's city hall (N) *677
Coast Counties Gas & Electric office (N) *94
Colonial Exhibition at Paris (N)...*442
Earl Carroll Theatre lighting. Eugene Clute *962
Floodlight, new type 352
Floodlighting industrial hazards to airplanes *782
Hockey rink (N) *402
Hudson Bridge (N) 766
James Scott Memorial Fountain (N).*632
Kansas City Power & Light building to be floodlighted (N) 942
Micro-focusing floodlight projector.... 88
Moscow circus (N) *986
Music electrified (N) *810
Navies and armies illuminate (N)...*578
Night track and field meet *50
Ohio Insurance Company building (N).*180
Paris fountain of light *680
Parliament Tower floodlighted (N)..*269
Pittsburgh's Fifth Avenue (N).....*854
Recommendations made for sports illumination 998
San Francisco's financial district (N).*898
Spotting pins with 25 foot candles..*1102
Staggered reflection yields uniform shadows (N) *720
Statue of Liberty (N) *806
Swedish factory floodlighted (N) *311
Washington monument illuminated (N) *940
Illumination. See also Lights and lighting.
India—power plants 842
Industrial activity 127, 303, 523, 711, 887, 1107
Industrial progress made despite business conditions. W. H. Sammis..... 163
Industry—Help established industry recover; let proselyting wait (Ed).. 945
Electrical growth unlimited if control remains private. J. S. Tritle.....1083
Zimmermann comments on industry criticism 1124
Inspection—Frequency of inspection, testing and overhauling 297
Insulation:
Cable insulation thickness can be reduced. D. W. Roper *27
Heavily insulated line resists lightning storms *602
Heavy protection of cables avoided..*821
Insulation thickness and cable joints discussed at A.I.E.E..... *14
Is laminated cable insulation necessary? (Ed) 902
Realizing on the insulation value of wooden construction. J. A. Jones.*376
Standard telephone cable has solid pulp insulation. H. G. Walker.... 957
Testing breaker insulation by power factor methods 374
Insulators—Three piece insulator bracket for wood crossarms. H. V. Ingersoll..*1003
Interconnection:
Industrial firms can overcome annoyance of outages (Ed) 231
Lightning proof performance aim of Niagara-Hudson tie. J. D. Whittemore *100
Niagara-Hudson-New York interconnection up again (N) 46
Terminology and technique discussed at A.I.E.E. *13
International Association of Electrical Inspectors — Northwestern Section (N) 721
Pittsburgh meeting (N) 532
International Association of Municipal Electricians—Convention (N) 807
International Conference on Bituminous Coal—Central station practice topic (N) 940
International Conference on High-Tension Systems (N) 46
International Electrical Congress—To be held next year (N) 4
International Illumination Congress—Questions discussed 701
Inventions—off-peak products (Ed) 639
Ireland:
Shannon and politics (Ed) 185
Italy:
Centrifuged reinforced concrete supports for 220-kv. line 337
Railway electrification, 381 miles within a year *382
Tower line crosses lake for 2 miles..*1145

J

Japan:
Tightens regulation of its power industry (N) 91

K

Kansas—Cities Service Co.....82, 90, 135, 141, (Ed) 310, 358, 806
Kenetron trailer has many improvements. E. F. Neuzel *154

L

Labor:
Employees engage in industry..... 432
Plan for stabilization of industry. Gerard Swope 496
Swope proposes stabilization plan (Ed) 493
Lamps—calculating lamp burn-outs. H. H. Webb 505
Latvia to electrify 242
Laundry electrification. R. S. Elberty, Jr. *338
Laws, anti-trust — don't abandon them. W. S. Donovan 967
Leagues, local, electrical meet (N)..... 223
Lightning:
Arresters mounted in constricted space *644
Drained transmission lines resist lightning outages *1002
Ground wire protection on substation structure *1009
Heavily insulated line resists storms.*602
Lightning protection for distribution transformers (Ed) 363
Niagara-Edison tie aims for lightning proof performance. J. D. Whittemore *100
Ontario hydro experience with 220-kv. operation *1125
Reactor and lightning arrester combined *612
Slow cloud ionization confirms direct-stroke theory. C. L. Fortescue... 420
Studying lightning strokes on low voltage lines (N) *851
Transformer outage determined by ground conditions. R. P. Hart.....*456
Lights and Lighting:
Airport at Port Columbus, Ohio, has runway lighting system (N).....*1074
Automobile production demands practical illumination. T. G. Ward....*506
Aviation beacon in Czechoslovakia (N) *1028
Better lighting for older eyes. M. Luckiesh 516
Brightness contrasts determine visual efficiency. M. Luckiesh 280
Cold cathode lamp for 110 volt service *788
Concrete mats make portable floodlight mountings *383
Design prizes from I.E.S. fund (N).. 575
Earl Carroll Theatre lighting. Eugene Clute *962
European lighting. M. Luckiesh....*1094
Eyesight conservation in the home. M. Luckiesh 1127
File lighting speed work *1049
Floyd Bennett airport electrical features (N) *137
Footcandle-by footcandle. M. Luckiesh. 112
Functional lighting (Ed) 857
Gaseous-discharge lamps await sponsored promotion (Ed) 770
General and supplementary lighting components. M. Luckiesh 74
Highway lighting—"preferred practice" *657
Home lighting—an unsaturated market. E. A. Graham 464
Hooded reflector trough lights control board *792
Human machine and light. M. Luckiesh 1001
Industrial flashlight performance..... 469
International illumination congress and commission (Ed) 681
Leases and good lighting (Ed)..... 406
Lighting for community pageants. Theodore Fuchs *246
Lighting service departments. J. C. Fisher 379
Lighting service engineers and architects 907
Lighting the world's tallest building (Empire State Bldg.) Eugene Clute *106
Los Angeles theater adopts preset proportional dimming *61
Merry Christmas with light *1052
Minimum wiring for stores 877
Modern industrial lighting *616
Photo-cells control street lights.....*342
Rating the performance of street lamps (Ed) 274
Recommendations made for sports illumination 998
Recommended intensities of illumination for store interiors 775
Show window lighting needed in daytime *969
Springfield's carrier current street lighting control succeeds. R. E. Curtis *1130
Street lighting code at a glance.....*951
Street lighting feeder is distribution circuit *687
Surroundings effect on modern lighting. M. Luckiesh 197
Visual efficiency in quiet and noisy work places. M. Luckiesh 472
Waldorf-Astoria lighting *700
Lights and lighting. See also Illumination; Ultra-violet rays.
Load:
Animated chart portrays effect of adding loads *77
Avoiding strains when absorbing unexpected loads (Ed) 99
Chart reads demand peaks directly...1144
Contour map facilitates system load study. W. H. Proescholdt *737
Determining tie line losses. Estrada & Dryar *745
Frequency changers also have stability limits. LeClair & Krupy *558
How Tennessee Copper controls demand peaks. L. W. Hayward *1048
New loads defeat the isolated plant..*648
Supply continuity insured for house service buses *688
Switch house changes reduce service hazards *1044
Synchronous motor for high torque loads. R. S. Wright *320
System plan alternatives visualized for executives. M. M. Samuels.....*778
Two ways of building load factor (Ed) 405
What do losses make apparatus cost? C. W. Guyott 1092
Why domestic customers use 4,000 kw.-hr. per year in Winnipeg 364
Lubrication—One shot oil scheme for cable joints *67

M

Magnification, record, to aid study of atom (N) 986
Maintenance—Expend marginal earnings for extensions and maintenance (Ed).. 769
Frequency of inspection, testing and overhauling 297
Management:
Justifiable ambition (Ed) 638
Rating local managers (Ed) 991
Rocks ahead. Philip Cabot 740
System plan alternatives visualized for executives. M. M. Samuels.....*778
Manholes:
Manhole vaults save excavation expense *584
Manholes by high-pressure. C. B. Sharp *283
Protection no bar to traffic *706
Steel forms for concrete manholes show economies. A. J. Batchelor.*777
Two manholes cheaper than one? (Ed) 451
Manufacturing—Power use and cost in manufacturing—U. S. census 1929. 923
Map, contour. W. H. Proescholdt.....*737
Mercury-process power plant (N) *721
Merchandising. See Sales.
Mergers:
Committee operation of merged companies (Ed) 97
Connecticut Light & Power Co. of Hartford and Central Connecticut Power & Light (N) 1030
Florida mergers follow taxation (N).. 676
Indiana merger (N) 138
Midland United buys Terre Haute Co. (N) 5
National Electric Power gets Fitkin properties (N) 134
Ohio Electric Power Co. to acquire Mount Gilead companies and Marion companies (N) 986
Tenney-New England Power merger (Ed) 53
Metals hardened by rotary electromagnetization (Ed) 1123
Meters and Metering:
Contact demand records quickly interpreted. W. E. Christnagel.....1144
Current theft and its prevention. S. A. Fletcher *924
Determining large three wire lighting meter constants. H. W. King.....*201
Ground test rack *871
How the meter department can help public relations. D. D. Wilson... 68
Metal clad metering specified for rural service *739
Meter jewels cleaned *657
Photo-electric relay used to test watt-hour meters. C. A. Perkins..... 511
Photo relay tests meter timing *284
Rebuilt meters save space on dispatcher's board. Uriah Davis....*332
Relative measurement of magnet strengths 295
Remote metering system calibrated quickly. Uriah Davis *458
Switchboard designed for future check metering *695
System losses—their analysis and reduction. M. M. Koch *948
Thermal demand meters give good account of themselves. D. A. Hill....*459
Michigan Electric Light Assn. — Golden jubilee (N) 49
Mines and quarries—amount of power used by (Tables) 1080
Modernization—Electrical supply layout for chemical plant. W. S. Johnston....*955
Industrial modernization — benefit to community and utility. M. O. Ningard 69
Motors:
Automatic pump unloader aids synchronous motor drive *1057
Compact beater drive achieved.....*1135
Continuous plate mill has 30,000 hp. in motors (N) 137
Direct connection saved space and production *619
Direct-current vertical motors.....*396
Floor space saved by motor mounting *615
Ford substitutes A.C. motors for 27,000 D.C. units *452
Group motor starting by centralized control. L. F. Leurey *1000
Individual drives simplify roll-table operation. W. B. Snyder.....*650
Motor control works well on network voltage. E. F. Kurtz 419
Motor drives in dairy plant 516
Motor generator set used as exciter for main alternating current crane. G. A. Caldwell *692
Motorization of run-out tables. Strickland Kneass *60
Prime movers, motors and generators in mines (Tables).....1080
Steel mill electrification *878
Steel-mill tonnage increased by twin motor roll drives. Wright & Stokes.*164
Synchronous motor for high torque loads. R. S. Wright *320
Synchronous motors stopped in three revolutions. A. S. Rufsvold *556
Three-speed vertical motors built for Ford (N) *444
What do losses make apparatus cost? C. W. Guyott.....1092
Municipal Ownership:
California—scores temporary victory (Ed) 901
Cities dally with ownership (N).... 355
Covering up costs in municipal utility operations. Arthur Huntington.. 281
Fairbanks-Morse contract upheld in California (N) 766
Idaho Falls defeats suit based on anti-trust law (N) 897
Indiana Commission condemns isolated plants (N) 1073
Iowa municipal plants go to private control (N) 312
Iowa plants trend to private (N).....1115
Marietta, Ohio, defeats ownership (N) 312
Middle west and south (N) 118
Missouri City plants not under Commission rule (N) 939
Paris, Tenn., fails to recapture light plant (N) 810
San Diego Council wants city street lighting plant (N) 853
Starkville, Miss., to install municipal light plant (N) 985
Virginia and Kansas towns beat bids for city plants (N) 533
Washington cities discuss (N) 534
Muscle Shoals:
Auction block for Muscle Shoals (Ed) 317
Bidding requested (N) 268
Board details its findings (N)..... 634
Cove Creek Dam included in plan (N) 808
Cove Creek Dam part of plan? (N).. 224
Cove Creek Dam proves source of discord (N) 354
Dedicated to agriculture (Ed)..... 945
Fertilizer production discussed in report (N) 941
Hoover appoints board for survey (N) 92
Muscle Shoals (N) 1071
President may dispose (N) 530
Three branch commission (N) *178
Two power companies bid for energy (N) 400

N

National Assn. of Railroad & Utilities Comm.—Convention (N) 762
Defense of state rights 816
National Electric Light Association:
Committee chairmen for 1931-32 (N) 92
Controlled water heating indorsed...*910
Convention exhibit (Ed) 185
Convention exhibit. P. S. Arkwright 875
Engineering Section meeting (N) 853
Exhibit at convention (Ed) 10
Great Lakes meeting (N) 630
Is the convention exhibit worthwhile? (Ed) 362
New England division meet (N) 574
New officers succeed to old (N) 2
Prizes for 1932 announced (N) 985
Rocky Mt. meeting (N) 443
Three companies resign from association (N) 354
National Electrical Code (Ed)..... 539
National Electrical Mfgrs. Assn. — Annual dinner (N) 486
National Electrical Wholesalers' Assn.—Convention (N) 852
National Metal Congress & Exposition (N) 531
National Research Council—Harvard meeting shows how insulation research stimulates progress (N) 894
National Safety Congress—Public Utility Section (N) 720

Neon Tubes:
Improving power factor of neon sign lighting. F. E. Ewart 251
Power factor for neon signs raised.. 220
Sign power factor (Ed) 186
Network:
A.C. network practice *584
Chicago's d.c. to give way to a.c. network 189
Motor control works well on network voltage. E. F. Kurtz 419
Network switch failures controlled. C. W. Franklin 335
Primary networks spur new thinking on radial systems (Ed) 142
Primary network vault for Brookline *1082
Reducing network protector operation. J. S. Parsons *1010
Underground network *288
Underground network at Atlantic City. Wm. Jordan, 3d.....*822
Units for interior distribution.....*792
New York City franchise granted to would be Edison competitor (N)..1070
New York Public Service Commission—Bills should be uniform (N) 135
Noise—Visual efficiency in quiet and noisy workplaces. M. Luckiesh 472

P

Pacific Coast Electrical Association:
Commercial section meeting (N).... 766
Discuss negotiated rates, defense and trade relations (N) 2
Merchandising policies 195
Paints tested for hydraulic plants 908
Patents—What's patentable in electrical engineering. C. W. Revise..... 285
Pennsylvania Electric Assn. — Bedford Springs meeting (N) 489
Photo-cell—Controls street lights *342
Photo-Electric Tubes:
As limit switches. A. F. Bowers....*386
"Electric eye" can read cards and file them (N) *443
"Electric eye" for airships landing in fog *92
Photo-electric relay used to test watthour meters. C. A. Perkins..... 511
Pipes:
Counterweighted hanger supports high pressure piping *699
Electric welding speeds pipe construction in field *600
Flexible forms used to construct curved duct runs *587
Poles:
Ground wire attachment for wood pole line. H. V. Ingersoll.....*821
Life of butt treated Western red cedar poles. R. M. Wirka.....*237
Moves 70-ft. pole carrying circuits..*1089
New pole standards facilitate economic utilization (Ed) 1035
Shaver does work of four men.....*375
Standards adopted (N) 269
Study the impulse strength of wooden pole construction (Ed) 362
Truck mounted auger-derrick sets 6 to 10 poles an hour.....*743
Wide diversity of opinion on wooden pole lines *605
Wiring telegraph building for continuous power supply *742
Power:
Controlled versus uncontrolled power flow (Ed) 186
Electric power used in mines and quarries (Tables) 1080
Fortieth place given to power problem (Ed) 318
Georgia power industrial campaign reaps success (N) 314
Norris' stand on irrigation plus power (N) 446
Passamaquoddy inquiry on power projects and fish protection (N) 223
Regional federal regulation a beneficial necessity. Marcel Garsaud 368
Staggered expansion makes power interchange economical *59
Power and regulation in state legislatures..3, 48
Power plants — "Demonstration plants" wanted (N) 633
Mercury process power plant (N)....*721
Power station practice discussed.....*588
Public Relations:
Autonomy essential to good public relations. W. E. Wood 428
Cost of unfavorable relations. Harry Reid 163
Customer complaints handled 296
Factors that antagonize customers.. 245
Handles customer's calls quickly and economically. H. W. Read.....*510
How the meter department can help public relations. D. D. Wilson.... 68
Keeping a check on customer satisfaction (Ed) 143
Picture or 1,000 words? Harry Reid.. 62
Speedy rectification of damage to customers' property. H. A. Martin 194
Tree trimming. H. A. Martin..... 115
Two aspects of public attitude need different treatment (Ed) 97
Public Utilities:
Alabama Power Company erecting own offices *984
Amer. Acad. of Political & Social Science meeting 918
Argument versus declamation (Ed)... 54
Autonomy essential to good public relations. W. E. Wood 428
California Commissioner attacks federal courts (N) 718
California irrigation districts' pleas denied (N) 898
California reports expenditures for political purposes (N) 181
Central Hudson co-operative selling. T. R. Beal 1050
Changed rate of utility growth (Ed).. 815
Commissioners militant in defense of state rights 816
Commissions as defenders of state rights (Ed) 769
Connecticut Commission free of Leavitt charges (N) 92
Contribute to stability (Ed)..... 813
Co-operation today in the electrical industry (Ed) 1034
Correct industry from within 188
District of Columbia Commission forbids payment to holding companies (N) 357
Doherty matters interest Missouri and Kansas (N) 763
Federal regulation not the way out (Ed) 449
Financial reports show public's confidence (Ed) 9
Florida Court upholds company methods (N) 50
Future will demand more economics in engineering. W. S. Monroe 904
Georgia Commission sets up three districts (N) 445
Georgia passes reorganization bills (N) 180
Hostile press imitates utility holding company. W. H. Hodge 111
Indiana city plants allowed to make profit (N) 137
Indiana Commission wins Martinsville case (N) 93
Indiana Public Service Commission to evaluate properties (N) 2
Industrial modernization — benefit to community and utility. M. O. Ningard 69
Industry problems. Mrs. G. L. Wheeler 880
Insull replies to political accusations (N) 4
Invest laws—changes effect securities 125
Kansas files test for anti-merchandising law (N) 266
Maine Insull interests ready for expansions? (N) 269
Making friends with minority stockstockholders (Ed) 1123
Massachusetts Board upholds service charge (N) 48
Missouri Supreme Court rules against Diesel-engine contract (N)..... 181
Missouri utilities adopt merchandising principles (N) 577
Mississippi utilities run wild, Bilbo says (N) 721
New Hampshire case brings series of orders (N) 5
New Hampshire Commission issues eleven orders for control (N)..... 136
New Hampshire court suspends order of board (N) 631
New Hampshire Supreme Court to investigate (N) 179
New River case to be heard (N)..... 444
New York Public Service Commission condemns penalty for slow pay (N) 48
New York Public Service Commission voids contracts (N) 399
Ohio properties ask transfer to Edison (N) 633
Oregon utility districts not formed (N) 446
Pacific Coast practices economy (Ed) 495
Pacific Gas & Electric riparian damage suits (N) 807
Pacific Gas & Electric Co. loses two suits (N) 118
"Progressives" committee on utilities makes report (N) 718
Regulation for competition (Ed)....1122
Regulation by conference vs. formal proceedings. L. O. Whitsell..... 415
Reproduction cost still determines fair value. H. E. West 509
Revenue and capitalization 37
Ritchie decries public ownership (Ed) 537
Ritchie takes stand against government ownership 540
Rocks ahead. Philip Cabot 740
San Diego advised against new street lighting equipment (N) 445
Seattle—economy rules light department (N) 487
Seattle City Light (N).....1071
Seattle revises Skagit River plans (N) 182
Securities of utilities sound investments. M. S. Sloan 549
Staggered expansion makes power interchange economical *59
Texas—right of public utilities to sell equipment (N) 93
Utility management now professional (N) 729
Valuation squabbles and inadequate staffs thwart regulation. W. L. Ransom 1041
Wisconsin act unconstitutional (N). 675
Wisconsin Commission acting under new power (N) 6
Wisconsin Commission condemns sale of equipment to village (N)..... 224
Wisconsin legislature special session (N) 1073
Wisconsin utilities must pay to be investigated (N) 531
Yield must be independent of current money costs. L. R. Nash..... 825
Public utilities. See also Sales; Appliances.
Pulverizer *944
Pumps:
Automatic pump unloader aids synchronous motor drive *1057
Direct-drive high-vacuum pump....*43
Vertical pump coupling *264

R

Raceways for converter leads. Sidney Watkins *966
Radiators, "blown up" *624
Radio:
Elimination of interference is a co-operative task (Ed) 53
Interference elimination a co-operative task. Campbell & Kalb..... 384
Marconi predicts broadcast energy (Ed) 1077
Nine-million radio tube suit against R.C.A. (N) 1072
One-beam radio takes program over river (N) 358
Radio via power lines planned for Cleveland? (N) 939
Tube fight brings agreement of R.C.A. and independents (N) 530
Railroad routes for utility system facilities (Ed) 947
Railroads—Electrification:
Italy's railway electrification, 381 miles within a year *382
Norfolk & Western Railway uses electric heat. W. S. Scott *423
Pennsylvania aims for main line electrification in 1933 (N) 938
Pennsylvania installations show new practices (N) 985
Pennsylvania Road to buy from Baltimore utilities (N) 631
Reading Company frequency changers installed outdoors. F. R. Ford...*1142
Reading now operating (N) 180
Supervisory remote control (N) *136
Switzerland—progress of rail electrification 926
Ranges. See Cooking—electric.
Rates:
Average rate 842
Canadian rates changed (N) 270
Connecticut Commission makes comparative tabulation 736
Connecticut orders schedule bringing return of 5% (N) 311
Deprecates value of holding company regulation. H. C. Attwill..... 73
El Paso domestic rates reduced (N).. 810
Forms can be simplified (Ed) 450
Georgia Commission evens rates (N).. 719
Historical cost fair base. Page Golsan 213
Indiana Commission bars Citizens' Service Bureau (N) 678
Indiana agitation goes on (N) 1116
Indiana Commission says 5 per cent enough (N) 632
Indiana Commission vetoes group-rate plan (N) 267
Indiana utility asks regional rates (N) 400
Industry problems. Mrs. G. L. Wheeler 880
Kansas gas rate case goes to highest court (N) 398
Kansas makes reductions (N) 223
Kansas rates reduced (N) 398
Massachusetts business conditions influence rates (N) 225
Minneapolis rates to be cut (N)..... 723
Missouri Commission on intrastate service (N) 358
Mobile refund refused by Alabama Supreme Court (N) 809
New Jersey Public Service cuts rates (N) 1028
New London, Wis., service charge versus minimum monthly rate (N) 940
New York City rates before commission (N) 632
New York City rates defended by Maltbie (N) 765
New York City rate situation (N).. 444
New York Commission condemns optional rates (N) 181
New York State rates reduction (N) 854
Ohio power company to cut rates $1,000,000 (N) 938
Pacific Gas & Electric rate cases (N) 1028
Pennsylvania Commission upholds optional rates (N) 91
Pontiac, scene of rate dispute (N)... 489
Potomac consent decree may give way to new base (N) 1028
Potomac Electric Power will appeal (N) 576
Promotional rates quicken commercial pulse 207
Reductions in Middle West (N) 534
Regulation by conference vs. formal proceedings. L. O. Whitsell..... 415

Rhode Island to have new rate (N)...1028
St. Lawrence power study reveals distribution costs. S. B. Heath..... 289
St. Louis hearings close (N)..... 94
San Joaquin Light & Power hearings (N) 1118
Service charge helps that October bill solution (Ed) 406
Sixteen months to recover with inducement rate 1084
Spokane rates go down, consumption goes up 908
Unified service areas suggest unified rate schedules (Ed) 407
Westchester utility offers cut (N)..... 938
Why domestic customers use 4,000 kw. hr. per year in Winnipeg 364
Reactors approach shipment limitations in size. R. B. George *414
Reactor protected against surge damage. F. M. Lewis *235
Rectifiers — Compact rectifier for group assemblies *988
Mercury arc rectifier of Commonwealth Edison Co. *698

Refrigeration:
B. & O. R.R. precools its Pullman sleepers *373
Unit data on distilled water ice plant. R. H. Parrish 461

Relays:
Clocks and relays time dust removal process. B. M. Davis *326
Master curve facilitates relay setting design. B. V. Volgovskoy..... 105
Meter test timing by photo relay....*284
Photo-electric relay used to test watthour meters. C. A. Perkins..... 511
Preventing false operation of differential relays. R. E. Cordray.....*160
Reactance relays negligibly affected by arc impedance. A. R. Van Warrington *502
Reducing network protector operation. J. S. Parsons *1010
Sequence chart traces complete relay operations. W. W. Edson 197
Springfield's carrier current street lighting control succeeds. R. E. Curtis *1130
Wiring details of relay scheme for automatic live line selection. C. W. Jones *876

Research:
Co-operative industrial research. J. B. Whitehead 63
Laboratory for testing equipment. C. M. Williams.....*198
1,000 kv. and 3,000 kv. tests. Fielder & McAuley *324

Revenue—Expenses and revenue, commercial companies 1927
Rheostat has telephone type wiring.....*954
Rod, copper ground with steel core..... 628
Rubber industry and energy consumption.. 390
Rubber specification governed by performance (N) 1116

Rural Electrification:
Calls for co-operation by dealers (Ed) 990
Compliment suggests thoughts worth pondering (Ed) 771
Diversity of rural line costs no proof of extravagance (Ed) 946
Economical rural line construction. C. M. Jennings.....*1136
Farm service. J. H. Matthews..... 65
Farmers need facilities for purchasing electrical equipment. N. G. Symonds 385
Lines for $500 per mile. M. T. Crawford *690
Matthews declares rural lines cost too much 952
Metal clad metering specified for rural service *739
Michigan and Oklahoma show increase in service (N) 311
Present commodity markets (Ed).... 683
Selling farmers electricity on community basis. M. C. Burritt.....*696
Service on socialized basis (Ed).... 730
South Carolina plans (N) 720
Transformer outage determined by ground conditions. R. P. Hart....*456
Twentieth century farming. E. C Easter *329

Russia:
Insufficiency of power will delay Russia's rise 115
Man power plus. Edwin Gruhl 702
Nineteen years electrical growth (N) .*1118
Offers large opportunity for American industry says Colonel Cooper.....1133

S

Safety. See Accidents and accident prevention.

St. Lawrence Power Development Commission:
Board ceases to oppose private line (N) 806
Canada ready to negotiate (N)..... 630
Canadian negotiations (N)..... 895
Development still negotiated (Ed)... 813
Diplomats may negotiate treaty (N).. 267
Faces many impediments. S. B. Heath 149
International development can provide 6,500,000 hp. 710
Power study reveals distribution costs. S. B. Heath 289
Quebec seen as obstacle to treaty (N) 442
State rights conflict brewing (N)... 674
Stimson declares federal authority paramount (N) 806
Three way pulling (N) 442
Washington agrees to consult New York in negotiations (N) 762

Sales:
Anti-utility merchandising legislation vs. industry co-operation. M. E. Sampsell 870
Co-operative merchandising. L. W. W. Morrow *640
Dealers name their own ticket (Ed).. 858
Eliminating little journeys by customers. R. R. MacLeod *834
Lighting service departments. J. C. Fisher 379
Local co-ordination (Ed) 274
Merchandising is the business of merchants 236
Merchandising policies—Pacific Coast Electrical Bureau 195
Policy back of Central Hudson co-operative selling. T. R. Beal 1050
Selling the market (Ed) 637
Switchboards, circuit breakers and switches 1929 1087
73 kw.-hr. per domestic customer added in 52 days. C. A. Collier.....*156

Scaffold hoist operated by compressed air.*953
Scraper, drag, permits economical yard grading *743
Security issues, new....38, 214, 433, 623, 1018

Service:
Current theft and its prevention. S. A. Fletcher *924
Customer complaints handled 296
Economics of adequate service (Ed).. 901
Economy sometimes waste (Ed)..... 493
Electric service data by counties.....1105
Eliminating little journeys by customers. R. R. MacLeod *834
Finding the fluttering thermostat. J. W. Speaker *561
Handles customer's calls quickly and economically. H. W. Read *510
Inoperative devices reducing revenue (Ed) 449
Interruption for repairs should be announced. H. A. Martin 367
Investment values of continuous service (Ed) 638
Lighting service departments. J. C. Fisher 379
New loads defeat the isolated plant..*648
Odd-frequency areas shrinking 367
Standardized customer-service records will aid utilities (Ed).....1078
Switch-house changes reduce service hazards *1044

Southwest Power Conference (N) 486
Speed idea may solve difficulties (Ed).... 451
Sprago states social obligations of electrical industry (Ed) 494

Standardization:
Abbreviations standardized need further study (Ed) 230
Cable entrance standards deserve general adoption (Ed) 859
Electrical standards committee (Ed).. 494
Makers move to eliminate substandard flexible cord (N) 896
National Electrical Code approved by A.S.A. 480
Poles standards adopted (N) 269
Switchgear standards 243
Wiring standards recommended by Electragists 789
Wiring standards to be unified (N)... 268

Steam:
Detroit tries out high temperatures (Ed) 731
High-temperature turbines. P. W. Thompson *732
1,250 lb. steam pressure at San Francisco station. R. C. Powell.....*544
Power and process steam cost allocations 1008
Reserves of steam prove their worth in South (Ed) 903
Station supplies steam to creamery and district heating *1126
Steam pressures and temperatures trend higher. D. S. Jacobus.....*410
Water power in its economic aspects. G. A. Orrok *1036
Embrittlement study of galvanized steel making progress 1003
Factors affecting steel weldability. W. E. Stine *786

Stock quotation board *272
Stokers have hydraulic drive *599
Stumps removed with vacuum cleaner (N) *93

Substation:
Acid impregnated area has substation (N) *808
Automatic stations discussed at A.I.E.E. 15
Chicago substation moved (N) *445
Costs clipped, performance bettered..*614
Dallas new substation (N) *765
Direct current Hays substation.....*1129
Dust-proof equipment cuts substation costs 25 per cent. J. T. Waugh....*208
Flat, truss and unit substations—costs (Tables) 1098
Ground wire protection on Chatham substation *1009
Located over spillway *836
Lyons substation in operation.....*634
Maine utilities have remote control tie station (N) *487
Mexican substation *655
100,000 kw. distribution system as a single project. R. T. Henry.....*144
Outdoor substation in residential area.*874
Overhead substation in Louisville...*1039
Reading Company frequency changers installed outdoors. F. R. Ford..*1142
Step down substation without circuit breakers *611
Tapping trunk line to serve small community *776
Union Light & Power station at St. Louis *611
Zanesville substation *612

Switches and Switching:
All cubicle control in industrial power plant. M. M. Samuels *232
Astronomical time switch 788
Automatic throw-over switches for two hospitals *618
Automatic time control for constant current transformers. W. H. Colburn *202
Condensed switch and terminal board reduce building cost *736
Generator switchboard for hydro plant.*699
Glove testing cabinet. R. G. Kennison *280
Guarding bayonet contacts of truck switches *922
Indoor type metal clad switchgear in Detroit. Lumley & Claybourn.....*294
Interlocked switches cut in 220-kv. spare transformers. E. F. Maryatt *1088
Metal clad switchgear *598
Miniature remote control switchboard. G. E. Farmer *462
Miniature supervisory control. R. M. Stanley *22
New switchgear standards (Ed) 98
Photo-electric tubes as limit switches. A. F. Bowers *386
Service switch and service entrance..*190
Standards for switchgear adopted.... 243
Switchboard designed for future check metering 695
Switch-house changes reduce service hazards *1044

Switzerland:
Electrical statistics 389, 479
Energy exports 973

T

Tank, asphalt dipping, heated by immersion heater *705

Taxes:
Alabama Power bearing share of taxes (N) 4
Arkansas tax proposal (N)..... 490
Carolina Piedmont hurt by taxes (N) 226
Duke Power Company takes tax to court (N) 1074
Georgia defeats bills increasing taxes (N) 355
Idaho's tax may not apply to interstate power (N) 355
Increase in 1930 843
Ohio companies pay tax on imported electricity (N) 180
Oregon opposes municipal tax on utility income (N) 809
St. Paul tax will increase rate (N)... 401
South Carolina case heard by Federal Court (N) 225
South Carolina tax held legal (N)... 442
Urges fairer system of taxing utilities. Mark Graves 521
Utility rates and taxes 126
Utility reforms merit sponsorship (Ed) 537
Utility revenue 36

Telephone:
Carbon gap protects reactor against surge damage. F. M. Lewis.....*235
No relationship between produce prices and rates (N) 810
Power utilities' requirements discussed at A.I.E.E. 16
Unifying communication for the operating job. R. N. Conwell and others 19

Television growing (N) 355
Temperature—High temperature turbines. P. W. Thompson *732
Steam pressures and temperatures trend higher. D. S. Jacobus.....*410

Termite investigated by California..... 331

Testing and Tests:
Breaker insulation testing by power factor methods 374
Field tests to simulate ice and wind loading *552
Finding the fluttering thermostat. J. W. Speaker *561
"Mazdas" tested by bumps (N) *314
1,000 kv. and 3,000 kv. tests. Fielder & McAuley *324
1,325,000 kva. testing equipment to destruction. C. M. Williams.....*198
Remote metering system calibrated quickly. Uriah Davis *458
Timing rotating standards *542
Varley loop "bridge-meg".....*627

Towers. See Transmission.
Tractors speed line construction.....*604
Trailer, kenetron, has many improvements. E. F. Neuzel *154

Transformers:
Automatic time control for constant-current transformers. W. H. Colburn *202
Cleaning transformer cooling coils 1100
Constant current pole type street lighting *936
5-50 kva. transformer for rural service 264
450-kw. three phase transformer in A.C. network *584
Grounding transformer bank supplies station energy *612
Lightning protection for distribution transformers (Ed) 363
1,500 kva. transformers installed underground *587
Outage determined by ground conditions. R. P. Hart *456
Protective schemes for regulating transformers. R. E. Cordray 429
Reducing network protector operation. J. S. Parsons *1010
Set in earth in suburban areas *610
Subway transformers conserve office building space *466

Transmission:
Air patrol in upper New York *547
Albany-New York line approved (N) .. 851
Auger makes inverted cone hole .. *603
Automatic live line selection. C. W. Jones *876
Cable terminals show cost reduction. *1051
Cables replace overhead line at Columbia Station (N) *983
Centrifuged reinforced concrete supports for 220 kv. Italian line 337
Crossarms strengthened for 110-kv. service. H. V. Ingersoll *750
Determining tie line losses. Estrada & Dryar *745
Drained transmission lines resist lightning outages *1002
Economical reactor mounting *691
Economical rural line construction. C. M. Jennings *1136
Empirical approach to transmission (Ed) 814
Failure to test grounds inconsistent with investment (Ed) 539
Ground wire attachment for wood pole line. H. V. Ingersoll *821
Group resistances of ground rods. H. B. Dwight 421
Hinged wooden cross arm *603
Hoover's views on interstate transmission (N) 1026
Interlocked switches cut in 220-kv. spare transformer. E. F. Maryatt *1088
Interruptions to lines concentrated at sunrise. George & Brownlee *658
Italian tower line crosses lake for 2 miles *1145
Lightning-proof performance aim of Niagara-Edison tie. J. D. Whittemore *100
Line analysis indicates ruling tendencies. Kurtz & Douglas *553
Line safety factors. B. E. Ellsworth. *824
Losses for typical transmission and metropolitan companies 1128
Mississippi River span at Memphis completed (N) 942
Mokelumne 220-kv. line. E. M. Wright *872
New England Power builds links (N). 533
North Ontario 245-mile Abitibi line finished (N) 678
Ontario hydro experience with 220-kv. operation *1125
Paris conference on high-tension systems (N) 46
Permit for Poughkeepsie-Yonkers line withheld (N) 674
Pole type transformer station *610
Reactance relays negligibly affected by arc impedance. A. R. Van Warrington *502
Realizing on the insulation value of wooden construction. J. A. Jones. *376
Results of failure to test grounds 996
River tower at Memphis (N) *1029
Rural lines for $500 per mile. M. T. Crawford *690
Side arm construction in narrow part of city *922
Six-circuit towers meet congestion requirements *1043
Stringing conductors on Hoover Dam Line. R. H. Halpenny *153
Switching station on top of Safe Harbor plant (N) *982
Take off pole at West Concord substation *957
Tapping trunk line to serve small community *776
Test frame for towers establishes service values. N. B. Obbard *470
Tower erection methods expedited Hoover Dam line. R. H. Halpenney .. *114
Towers changed while alive *548
Towers 490 ft. high for river crossing. 1057
Tube supports rising leads *866
220 kv. coupling condensers for carrier telephone *448
220 kv. transposition uses standard line material. C. A. Booker *832
225 miles of 132-kv. line erected in 225 days. R. H. Halpenny *31
Wide diversity of opinoin on wooden pole lines *605
Wishbone construction and arm guys. *603
Tree-ring studies aid hydro planning. Lyman Griswold 252
Tree trimming. H. A. Martin 115
Trench digger *586

Turbines:
Atmospheric relief valve eliminated .. *1141
Auxiliary applied to serve two purposes *551
High temperature turbines. P. W. Thompson *732
Material best for turbine blades? 250
1,250 lb. steam at San Francisco station. R. C. Powell *544
Safe Harbor development adopts Kaplan turbines *992
Turbo generator at Bremo station *594
Waukegan's new unit (N) 634

U

Ultra-violet rays—This ultra-violet situation. M. Luckiesh *829
Unemployment. See Employees.
Units, electrical discussed at A.I.E.E. 17

V

Vacuum tripper *1141
Varnish dried with electric air heater .. 378
Vault, service, to supply department store. *543
Ventilation—Household ventilation electrically feasible. F. C. Taylor 328

Voltage:
Animated chart shows effect of adding loads *77
Generator voltage regulated by corona tube. Dodge & Willis *25
Industrial firms can overcome annoyance of momentary outages (Ed) . 231
New loads defeat the isolated plant .. *648
1,000 kv. and 3,000 kv. tests. Fielder & McAuley *324
Phase separation at distribution voltage *649
Progressive increases in secondary voltages of distribution transformers (Ed) 1079
Standardizing on 115 volts (Ed) 275
Tube voltage regulator eliminates hunting tendency. F. H. Gulliksen. *162
Voltage chasing scheme to prevent interruptions of energy *688

W

Water changed from salt to fresh by electrolysis (Ed) 947

Water Power:
Beauharnois power development described *860
Dry streams and dry statistics (Ed) . 1033
It's economic aspects. G. A. Orrok .. 1036
Michigan water power falls off (N) .. 677
Safe Harbor development adopts Kaplan turbines *992
Site survey by U. S. forest service .. 956
World's water power statistics 259
Water supply for engine cooling *824
Water tower, modern *404

Welding:
Arc welding in boiler production *21
Boston City Hospital fully arc-welded (N) *809
Cleveland will have arc-welded steel house (N) 49
Electric arc welding in mines. Carl Lee *953
Electric welding saves 30 per cent of job cost 966
Electric welding speeded by thyratron control *148
Electric welding speeds pipe construction in field *600
Electrically welded house in Larchmont, N. Y. (N) *49
Electrode for welding within shielded arc 704
Factors affecting steel weldability. W. E. Stine *786
Field welding improved by special erection seat 103
Fractionating column and oil electric locomotive (N) *1071
Good welding depends on good welders (Ed) 231
Hydrogen welding now automatically controllable. S. Martin, Jr. *561
Major event in welding (Ed) 946
Single operator sets 572
Spot welding machines *848
Structural steel welding profits by an idea (Ed) 143
Structural welding takes 8 kw.-hr. per ton 833
Ways of proving a good weld. T. R. Watts *645
Welding sequence highly important in structural members *68
Wheat unloader (N) *807
Wind-power plant (N) 762
Wind rotor plant to be erected (N) 574

Wiring:
Action on wiring problem (Ed) 450
Code wire identification 716
Details of relay scheme for automatic live line selection. C. W. Jones .. *876
Electragists recommend essentials of house wiring 789
Examples more convincing than generalities (Ed) 142
Flexible wiring in an office building. MacKushlan *330
Ground wire attachment for wood pole line. H. V. Ingersoll *821
Joint conference for adequate wiring (N) 1026
Minimum adequate wiring for stores .. 877
New service entrance and service switch *190
Oval tubing and oval cable 716
Overhead entrance converted to underground *1132
Range sales stimulated by wiring without cost *656
Range wiring costs reduced 30 per cent by new assembly. E. A. Brand ... *118
Six associations will unify wiring standards (N) 268
Telegraph Building wired for continuous power supply *742
Telephone type wiring saves space ... *954
Wire measuring, cutting and stripping machine *484
Wisconsin Utilities Assn.—Electric Section convention (N) 898
Wood destroyers investigated by California 381

AUTHORS' INDEX

ARKWRIGHT, PRESTON S. Point of view on the N.E.L.A. convention exhibit 875
Attwill, Henry C. Deprecates value of holding company regulation 73

BAILEY, E. G., and R. M. HARDGROVE. Advantages of slag-tap furnaces. *958
Batchelor, A. J. Steel forms for concrete manholes show economies *777
Beal, T. R. Policy back of Central Hudson co-operative selling 1050
Berkey, H. G. Stocking supplies material for conduit fishing yarn 455
Bohn, D. I., and H. W. Papst. Structural-shape conductors show increased efficiencies *418
Booker, C. A. 220 kv. transposition uses standard line material *832
Bowers, A. F. Photo-electric tubes as limit switches *386
Brand, E. A. Range-wiring costs reduced 30 per cent by new assembly *118
Briggs, E. C., and others. Unifying communication for the operating job 19
Brownlee, W. R., and E. E. George. Interruptions to line concentrated at sunrise *658
Bullard, W. R. Use of buried cable for underground construction *1054
Burritt, Maurice C. Selling farmers electricity on community bas's *696
Busher, J. E. Special equipment facilitates erection of cells *1086

CABOT, PHILIP. Rocks ahead 740
Caldwell, G. A. New type crane and hoist. *692
Campbell, C. C., and H. N. Kalb. Radio interference elimination a co-operative task 384
Christnagel, W. E. Contact demand records quickly interpreted 1144
Church, R. A. Electricity simplifies operation of railroad bridge *820
Claybourn, G. L., and C. S. Lumley. New indoor type metal clad switchgear installed in Detroit *294
Clute, Eugene. Lighting prime source of theatre decoration *962
Lighting the world's tallest building .. *106
Colburn, Wellen H. Simple automatic time control for constant current transformers *202
Collier, Charles A. 73 kw.-hr. per domestic customer added in 52 days *156
Conwell, R. N., and others. Unifying communication for the operating job. 19
Cordray, R. E. Preventing false operation of differential relays *160
Protective schemes for regulating transformers 429
Cox, H. H. Differential-bus protection proves its merit *30
Craig, C. F. and others. Unifying communication for the operating job .. 19
Crawford, M. T. Rural lines for $500 per mile *690

Curtis, R. E. Springfield's carrier current street lighting control succeeds..*1130

DAVIS, B. M. Sequence control in sinter plant baghouse *326
Davis, Uriah. Rebuilt meters save space on dispatchers board *332
Remote metering system calibrated quickly *458
Dodge, H. W., and C. H. Willis. Generator voltage regulated by corona tube. *25
Donovan, William S. Interpret anti-trust laws; don't abandon them 967
Douglas, J. A., and E. B. Kurtz. Transmission line analysis indicates ruling tendencies *553
Dryar, H. A., and H. Estrada. Determining tie line losses *745
Dwight, H. B. Group resistances of ground rods 421

EASTER, E. C. Twentieth century farming *329
Edson, William W. Sequence chart traces complete relay operations..... 197
Elberty, R. S., Jr. Laundry electrification *338
Ellsworth, B. E. Quick determination of transmission line safety factors..*824
Estrada, H., and H. A. Dryar. Determining tie line losses *745
Evans, Carl W. Underground planning records *372
Ewart, Fred E. Improving power factor of neon sign lighting 251

FARMER, G. E. Miniature control meets need in switchboard design.....*463
Fielder, F. D., and P. H. McAuley. 1,000 kv. and 3,000 kv. tests closely controlled and measured *324
Fisher, J. C. Lighting service departments 379
Fletcher, S. A. Current theft and its prevention *924
Ford, F. R. Reading frequency changers installed outdoors *1142
Fortescue, C. L. Slow cloud ionization confirms direct-stroke theory 420
Franklin, C. W. Network switch failures controlled 335
Fuchs, Theodore. Lighting for community pageants *246
Furlong, H. W. Father of waters spanned in four days *66

GARSAUD, Marcel. Regional federal regulation a beneficial necessity... 368
George, E. E., and W. R. Brownlee. Interruptions to lines concentrated at sunrise *658
George, R. B. Reactors approach shipment limitations in size *414
Golsand, Page. Historical cost fair base if above reproduction cost 213
Graham, Earl A. Home lighting—an unsaturated market 464
Graves, Mark. Urges fairer system of taxing utilities 521
Griswold, Lyman. Tree-ring studies aid hydro planning 252
Gruhl, Edwin. Man power plus 702
Gulliksen, F. H. Tube voltage regulator eliminates hunting tendency.....*162
Guyott, C. W. What do losses make apparatus cost? 1092

HALPENNY, R. H. Stringing conductors on Hoover Dam line *153
Tower erection methods expedited Hoover Dam line *114
225 miles of 132 kv. line erected in 225 days *31
Hardgrove, R. M., and E. G. Bailey. Advantages of slag tap furnaces....*958
Hart, R. Philip. Transformer outage determined by ground conditions..*456
Hawley, G. N. Electrically heated greenhouse *322
Hayward, L. W. How Tennessee Copper controls demand peaks *1048
Heath, S. Burton. St. Lawrence Development faces many impediments.. 149
St. Lawrence power study reveals distribution costs 289
Henry, R. T. 100,000 kw. distribution system as a single project *144
Hill, Daniel A. Thermal demand meters give good account of themselves..*459
Hilliard, John D. Gas control the crux in oil breakers *192
Oil blast phenomena in circuit breakers *56
Hinson, N. B., and H. W. Tice. Protection and dispatching for greatest reliability *204
Hodge, William H. Hostile press imitates utility holding company 111
Holmes, M. C. Minimum stress indicates cable strength *71
Huntington, Arthur. Covering up costs in municipal utility operations..... 281

INGERSOLL, H. V. Crossarms strengthened for 110 kv. service *750
Ground wire attachment for wood pole line *821
Three piece insulator bracket for wood crossarms *1003

JACOBUS, D. S. Steam pressures and temperature trend higher *410
Jennings, C. M. Economical rural line construction *1136
Johnston, W. S. Modernizing a chemical plant's electrical energy supply ..*955
Jones, C. W. Automatic live line selection.*876
Jones, J. A. Realizing on the insulation value of wooden construction *376
Jordan, William 3rd. Underground network at Atlantic City *822
Juhnke, P. B. Experience with Chicago interchange contract 327

KALB, H. N., and C. C. CAMPBELL. Radio interference elimination a co-operative task 384
Keenan, G. M., and others. Unifying communication for the operating job 19
Kennison, R. G. Interlocked switches safeguard rubber glove test *280
Kershaw, John B. Some flue gas washers used abroad *783
King, Harold W. Determining large three wire lighting meter constants *201
Kneass, Strickland. Motorization of run-out tables *60
Koch, M. M. System losses—their analysis and reduction *948
Krupy, A. J., and T. G. LeClair. Frequency changers also have stability limits.*558
Kurtz, E. B., and J. A. Douglas. Transmission line analysis indicates ruling tendencies *553
Kurtz, E. F. Motor control works well on network voltage 419
Kushlan, Max. Wiring to make tenant changes easier *330

LANGSTAFF, H. A. P., and K. N. REARDON. Frequency control mounted to minimize vibration...*113
Laws, F. R. Range design trend aids utility service *1090
LeClair, T. G., and A. J. Krupy. Frequency changers also have stability limits.*558
Lee, Carl. Electric arc welding in mines..*953
Leeds, W. M. Arc energy liberation fixes breaker pressures *1138
Leurey, Louis F. Concentrated high speed industrial control *1000
Lewis, F. M. Carbon gap protects reactor aganist surge damage *235
Liversidge, H. P. New spirit in business..1144
Lloyd, Morton G. Defective equipments cause low voltage fatalities 116
Lobban, J. H. Suggests means of possible reduction in accounting costs.... 665
Luckiesh, M. Better lighting for older eyes 516
Brightness contrasts determine visual efficiency 280
Effect of surroundings on modern lighting 197
Eyesight conservation in the home...1127
Footcandle-by footcandle 112
General and supplementary lighting components 74
Impressions of European lighting....*1094
Light and the human machine 1001
This ultra-violet situation *829
Visual efficiency in quiet and noisy workplaces 472
Lumley, C. S., and G. L. Claybourn. New indoor type metal clad switchgear installed in Detroit.....*294

MacLEOD, ROB ROY. Eliminating little journeys by customers *834
Martin, H. A. Only God can make a tree.. 115
Service interruption for repairs should be announced 367
Speedy rectification of damage to customers' property 194
Martin, S., Jr. Hydrogen welding now automatically controllable *561
Maryatt, E. F. Interlocked switches cut in 220-kv. spare transformer.....*1088
Matthews, J. Howard. Problems of farm service 65
Rural lines cost too much 952
McAuley, P. H., and F. D. Fielder. 1,000 kv. and 3,000 kv. tests closely controlled and measured *324
Miller, Leland W. Hazard index method for comparing accident risk.....1099
Monroe, William S. Future will demand more economies in engineering... 904
Morrow, L. W. W. Co-operative merchandising *640

NASH, L. R. Yield must be independent of current money costs 825
Neuzel, E. F. Kenetron trailer has many improvements 154
Ningard, Milton O. Industrial modernization—benefit to community and utility 69

OBBARD, N. B. Test frame for towers establishes service values *470
Orrok, George A. Water power in its economic aspects 1036

PAPST, H. W., and D. I. BOHN. Structural-shape conductors show increased efficiencies *418
Parrish, R. H. Unit data on distilled-water ice plant 461
Parsons, John S. Reducing network protector operation *1010
Patrick, Paul E. Electricity supply in a modern milk plant *512
Paul, W. E., and D. C. Price. Oil blast extended to other breakers *499
Perkins, Charles A. Photo-electric relay used to test watt-hour meters .. 511
Porter, J. C. Aluminum busbars resistant power arcs *104
Powell, Richard C. Experience at Station A with 1,250 lb. steam pressure.*544
Price, D. C., and W. E. Paul. Oil blast extended to other breakers *499
Proescholdt, Walter H. Contour map facilitates system load study *737

RANSOM, WILLIAM L. Valuation squabbles and inadequate staffs thwart regulation 1041
Read, H. W. Handles customers' calls quickly and economically *510
Reardon, K. N., and H. A. P. Langstaff. Frequency control mounted to minimize vibration *113
Reid, Harry. Cost of unfavorable relations 163
Picture of 1,000 words? 62
Revise, Charles W. What's patentable in electrical engineering 285
Roper, D. W. Cable insulation thickness can be reduced 27
Ross, M. D. Hydrogen-cooled generators have economic merit *408
Rufsvold, A. S. Synchronous motors stopped in three revolutions *556

SAMMIS, W. H. Industrial progress made despite business conditions 163
Sampsell, Marshall E. Anti-utility merchandising legislation vs. industry co-operation 870
Samuels, M. M. All-cubicle control in industrial power plant *232
System plan alternatives visualized for executives *778
Schreiber, G. E. Cableways and chutes aid in building station *596
Scott, Wirt S. Railroad saves six times electric heat cost *423
Sembera, Frank. Czechoslovakia has modern power plants *240
Sharp, C. B. High pressure manhole washing saves expenses of opening drains *283
Sinclair, W. Dan. Individual drives operate cotton gin economically *908
Skillman, T. J. Crawler cranes solve problem in railroad electrification ...*371
Sloan, Matthew S. Utility securities sound investments 549
Snyder, W. B. Individual drives simplify roll table operation *650
Speaker, John W. Finding the fluttering thermostat *561
Spencer, H. H. Designing fifteen-mile falls 220-kv. system for stability.....*276
Stanley, R. M. Miniature supervisory control gives creditable performance. *22
Stine, W. E. Factors affecting steel weldability *786
Stokes, H. E., and H. H. Wright. Steel mill tonnage increased by twin motor roll drives *164
Swope, Gerard. Plan for stabilization of industry 496
Symonds, N. G. Farmers need facilities for purchasing electrical equipment.. 385

TAYLOR, FRANK C. Household ventilation electrically feasible 328
Thompson, P. W. High temperature turbine experiment making progress.*732
Tice, H. W., and N. B. Hinson. Protection and dispatching for greatest reliability *204
Tritle, J. S. Electrical growth unlimited if control remains private.....1083

VOLGOVSKOY, B. V. Master curve facilitates relay setting design 105

WALKER, H. G. Standard telephone cable has solid pulp insulation.. 957
Ward, Thomas G. Motor car is a creation of light *506
Warrington, A. R. Van C. Reactance relays negligibly affected by arc impedance *502
Watkins, Sidney. Raceway simplifies installation of converter leads *966
Watts, T. R. Ways of proving a good weld.*645
Waugh, Joseph T. Dust-proof equipment cuts substation costs 25 per cent.*208
Webb, H. H. Calculating lamp burn-outs.. 505
West, Harold E. Reproduction cost still determines fair value 509
Wheeler, Mrs. Glen L. Seeking light upon industry problems 880
Whitehead, John B. Co-operative industrial research 63
Whitney, Richard. Law of supply and demand operates toward recovery.. 653
Whitsell, Leon O. Regulation by conference vs. formal proceedings 415
Whittemore, J. D. Lightning-proof performance aim of Niagara-Edison tie *100
Williams, Carroll M. 1,325,000 kva. for testing equipment to destruction....*198
Williams, George S. Continuous water heating at $5.10 per month 75
Willis, C. H., and H. W. Dodge. Generator voltage regulated by corona tube. *25
Willis, H. Parker. Currency depreciation abroad may help American trade. 772
Wirka, R. M. Life of butt-treated Western red cedar poles *237
Wilson, D. D. How the meter department can help public relations.. 68
Wood, William E. Autonomy essential to good public relations 428
Woodson, J. C. Electric heat for the metal industries *1004
Wright, E. M. Mechanical features differ on Mokelumne 220-kv. line.....*872
Wright, H. H., and H. E. Stokes. Steel-mill tonnage increased by twin motor roll drives *164
Wright, R. S. New synchronous motor for high torque loads *320